

---

# **Modist Documentation**

***Release 0.0.0***

**Stephen Bunn**

**Dec 06, 2017**



---

## Contents

---

<b>1</b>	<b>Documentation</b>	<b>3</b>
1.1	Getting Started . . . . .	3
1.2	Contributing . . . . .	3
1.3	Changelog . . . . .	3
1.4	Modist Package . . . . .	4
1.5	Indices and tables . . . . .	4



The client and cli interface for local Modist usage



## 1.1 Getting Started

The client and cli interface for local Modist usage

## 1.2 Contributing

This document is to help you start development with this project.

### 1.2.1 Setup

You can fork and clone Modist at the [GitHub](#) repository. You will also need to work inside a virtual environment while developing this project. For this reason I recommend installing [pipenv](#) for working with this project.

You can install the dependencies of the project by running the command `pipenv --three install --dev` at the root of the repository. This should install all of the required dependencies for development.

—

You can run the project by creating a file (*main.py*) at the root of the repository. Here you can import the Modist package and debug your changes by running the command `pipenv run main.py`

### 1.2.2 Style Guides

This project uses [flake8](#) as its primary style guide.

## 1.3 Changelog

All notable changes to [Modist](#) will be documented in this file.

The format is based on [Keep a Changelog](#) and this project adheres to [Semantic Versioning](#).

### **1.3.1 *unreleased***

## **1.4 Modist Package**

This is the base Modist package.

### **1.4.1 modist**

## **1.5 Indices and tables**

- [genindex](#)
- [modindex](#)
- [search](#)